

Rollei

BLACK AND WHITE FILM DEVELOPMENT TIMES

Spiral tank, deep tank, dip and dunk machine (min/20°C/68°F)

	Rollei RPX 25		Rollei RPX 100		Rollei RPX 400		Rollei Retro 80S		Rollei Retro 400S		Rollei Superpan		Rollei Infrared 400S	
	Dilution	Min (20°C)	Dilution	Min (20°C)	Dilution	Min (20°C)	Dilution	Min (20°C)	Dilution	Min (20°C)	Dilution	Min (20°C)	Dilution	Min (20°C)
Berspeed (20°C)			1+1	11	1+1	12.5								
Berspeed (24°C)			1+1	8 (24°C)	1+1	9 (24°C)								
D-76	1+1	8	1+1	11	1+1	14	1+1	12.5	1+1	11	1+1	14	Stock	6
HC-110	B	5	B	7-9	B	6	H	15	B	6.5	B	6	B	8.75
ID-11	1+1	8	1+1	12	1+1	14	1+1	12.5	1+1	11	1+1	14	Stock	6
Ilfosol 3			1+9	5	1+9	6.5	1+9	5	1+14	15			1+14	14
Ilfotec DD-X			1+4	11	1+4	10	1+4	4.5			1+4	8.75		
Ilfotec HC			1+15	4.5	1+15	4								
Ilfotec LC29			1+19	7.5	1+9	4.5	1+29	11						
Rodinal	1+25	6	1+25	9	1+25	12	1+25	8	1+25	10.5	1+25	8		
Rodinal	1+50	11												
Rollei RPX-D			1+15	6-6.5	1+11	11							1+25	7.5
Rollei Supergrain	1+12	5			1+12	7								
Tmax Dev	1+9	12	1+4	4.5	1+4	7			1+4	9.5	1+4	8	1+4	26
Xtol	1+1	8	1+1	10	1+1	12	1+2	12	1+2	17	1+2	12-14		

